

Covid-19 Flash Update

Maryland Department of Health Maryland Primary Care Program Program Management Office

7 December 2020

COVID-19 Daily Report - Maryland Department of Health

Data reported as of 12/6/2020

215,027 confirmed cases

48,246 tests reported 12/5 4,685,476

4,685

+2,643 cases reported on 12/5*

DEPARTMENT OF HEALTH

6.74% daily positivity reported 12/5


8.14%

+26

7-day avg. positivity** reported 12/5

deaths reported on 12/05


7-Day Avg. Percent Positive Testing** and Total Testing Volume



Statewide Acute/ICU Beds Occupied by COVID Patients



Cases and Rates by County of Residence



Daily Cases by Specimen Collection Date





All case-related counts on this dashboard are of individual people infected with COVID-19. Report date: the day a case was reported to the Maryland Deptartment of Health.

Specimen date: the day the initial lab specimen was collected. BMA: Baltimore Metro Area; NCR: National Capital Region. DMV: DC, Maryland, and Virginia Area

Rates calculated using total confirmed cases and 2019 population estimates. Rates do not exclude recovered cases. Rates are calculated as cases per 100,000 population. 2019 Maryland Population estimates from the Maryland Department of Planning, March 2020.

*Daily case increase uses report date. **Positivity calculated using a 7-day rolling average


***DMV Virginia includes Alexandria, Arlington, Fairfax, Fairfax, City, Falls Church, Loudoun, Manassas, Manassas City, and Prince William.

Key Features this week


- Cases, case rates and percent positivity continue to rise
- Hospitals at or near capacity
- Staffing shortages looming- volunteer opportunities
- CDC shortened quarantine period
- Post Thanksgiving and pre-holiday increases expected
- Contact tracing is being overwhelmed- inform positive patients to quarantine
- Vaccines very soon- time to prepare and communicate with patients and staff
- Opportunity to reduce hospitalization using monoclonal antibodies

Hospitalized COVID-19 Patients

Number of COVID-19 Positive Patients in Acute Care and ICU



Statewide Occupied Staffed - Adult Acute Care and ICU - Last 10 Days



Updates on Testing Adoption Team

- Teams began outreach 1 December
- Streamlined workflows with less PPE required
- Anterior nasal and saliva testing reduce PPE burn rate
- Ordering for home based tests when appropriate
- Testing resource information in appendix



Updates on Vaccines

- Pfizer (ultra-cold storage) and Moderna EUA submitted both mRNA vaccines
- FDA meets 12-10 Pfizer; 12-17 Moderna
- ACIP meeting to follow on prioritization
- Anticipate HCWs, Vaccinators and First Responders in Phase 1
- Anticipate 4-6 additional candidates-Astra Zeneca vector vaccine next
- Primary care in latter Phase 1 and Phase 2- vulnerable patients and thereafter
- FDA Covid Vaccine page for more information


https://www.fda.gov/emergency-preparedness-and-response/coronavirus-disease-2019-covid-19/covid-19-vaccines



Phased Approach

Phase 2

Vaccine availability	Limited	Widespread
Approach	Targeted	Universal
Vaccine available to:	 Frontline healthcare workers Other essential workers Those at highest risk of developing complications from Covid-19 (ACIP high risk conditions) 	General public
Vaccine distribution by:	 Local health departments Hospitals Vaccination clinics (through LHDs) Essential employer work sites 	 Local health departments Hospitals Pharmacies Primary care practices Urgent care centers School vaccination clinics



Updates on Monoclonal Antibodies

Clinician Letter

- Banlamnivimab and Regeneron monoclonal antibody EUAs
- Limited supplies- ~ 1500 doses/week
- For ambulatory Covid positive at risk of hospitalization within 10 days on onset of symptoms
- 6 infusion centers+ SNFs open-more to follow
 - Baltimore Convention Center Field Hospital
 - Peninsula Regional- Tidal Health
 - Meritus Health
 - Adventist Tacoma Park
 - ▶ UPMC
 - Atlantic General
 - > SNFs
- Referrals directly now and later through CRISP (referral form available here)

DEPARTMENT OF HEALTH

Covid-19 Antibody Treatment Criteria

*

Patient Criteria

- ➤ Have BMI >= 35
- Have chronic kidney disease
- Have diabetes
- Are currently receiving immunosuppressive treatment
- Are >= 65 years old
- ➤ Are >=55 years old and have
 - ✓ Cardiovascular disease, or
 - ✓ Hypertension, or
 - ✓ Chronic obstructive pulmonary disease/other chronic respiratory disease
- ➤ Are 12 17 years old AND have
 - ✓ BMI >=85th percentile for their age and gender based on CDC growth charts, or
 - ✓ Sickle cell disease, or
 - ✓ Congenital or acquired heart disease, or
 - √ Neurodevelopmental disorders, or
 - ✓ A medical-related technological dependence, or
 - ✓ Asthma



Patient Information and Workflows

- Reinforce scheduled visits
- Separate sick and well to the extent possible
- Avoid waiting room crowds
- Outdoors screening and testing as possible
- Tailor staff and resources to need
- * Telehealth, including testing, when applicable
- Quarantine period for positive tests shortened to 10 days for asymptomatic and 7 days based n negative test (after 5 days)



Updates on PPE

- Order from current suppliers
- Use list in appendix
- If all supplier resources exhausted
 - Use form previously supplied (appendix)
 - > Request from County Health Departments
 - State resources as last resort- distributed through local health department
 - > Priority
 - ✓ Hospitals
 - **✓** SNFs
 - √ Community Providers, others



Tools in War Against Covid-19

Even after vaccination, we will likely still need our other tools for some time before herd immunity is reached

- Mitigation
 - Masks, social distancing, hygiene
- Testing, contact tracing, and isolation, cell phone notifications
- Hospital treatment modalities
 - > ICU support
 - Medications

- Therapeutics
 - Prevention- none
 - Monoclonal antibodies
- Immunizations- soon
- Others



Discussion and Q/A



Appendix

Resources and Links



Testing Marylanders in Primary Care

- ❖ Testing in offices serves patients and normalizes the process
- ❖ Testing or referring patients for testing is key to keep the State safe
- Specimen collection continues to evolve from nasopharyngeal sampling to the current simplified nasal sampling
- Testing will continue to evolve with Point of Care tests and saliva tests
- ❖MDPCP Guidance on testing in primary care (from July 2020)
 Marylane

PARTMENT OF HEALTH

Current and Evolving Landscape for Covid Testing in Maryland

- ❖ Average ~26,000 tests per day more is better
- State supported sites (VEIPs) closed
- ❖ A few state sites in tents opening for the winter months
- Convention Center testing moving indoors
- Current approximate contributions:

Hospitals	23%
SNF/ALF	15%
Urgent care	14%
Ambulatory practices	12%
Other	4.40/
Other	14%
State sites	12%



Source: MDH

Maryland Covid-19 Vaccination Plan

- Maryland has developed a Covid-19 vaccination plan to vaccinate all Marylanders interested in receiving vaccine
- Plan was released on Tuesday, October 20, 2020
- This is a working plan and subject to change as new information is received and the Covid-19 pandemic continues to evolve
- Copy of the plan can be found here:

https://phpa.health.maryland.gov/Documents/10.19.2020 Maryland Covid-19 Vaccination Plan CDCwm.pdf



Provider Recruitment and Enrollment

Maryland healthcare providers interested in receiving Covid-19 vaccine will have to take two steps:

- 1. Onboard with ImmuNet to report vaccination data
 - EHR connected to ImmuNet to report all vaccine doses administered
 - MDPCP practice coaches are communicating with practices regarding their current onboarding status and next steps to register and enroll
- **2. Register with ImmuNet as a vaccine provider** in order to receive and administer vaccine.

Information to come November 2020

Primary Care Involvement

- Continue to encourage and vaccinate your patients with the flu shot
- Ensure that you are onboarded (connected) with ImmuNet to report vaccinations administered
- Once available, register to become a Covid vaccine provider
- Use the CVI tool to begin to identify your patients that are at a higher risk for Covid



Vaccines showing promise based on early data



- Preliminary analysis shows 90% effectiveness
- Two doses, 21 days apart
- ❖ -70° C storage
- Based on analysis of 94 infections in a 44,000-person study



- Preliminary analysis shows 94% effectiveness
- Two doses, 28 days apart
- ❖ -20° C storage
- Based on analysis of 95 infections in a 30,000-person study
- Will ask FDA for EUA when they have enough safety data
- Long-term safety and efficacy data not yet collected


Vaccine Hesitancy

(You play a critical role in shaping these attitudes)

- Pre-existing group of anti-vaccine people
- Current political push for a vaccine before the election
- Warp Speed connotation of cutting corners
- Inconsistent messaging
- Novel types of vaccines
- Requires consistent accurate and timely messaging from trusted sources (Healthcare Providers)

Goucher College Poll If an FDA-approved vaccine to prevent coronavirus was available

right now at no cost, would you agree to be vaccinated?






Marylanders Views on Covid (You play a critical role in shaping these attitudes)


October 2020 Goucher College Poll of 1,002 Marylanders

How concerned are you—[very, somewhat, a little, or not at all]— about yourself personally or a close family member getting the coronavirus?



Has the coronavirus outbreak **caused any financial hardship** for you or your household?

If "yes," follow-up with: Is that a severe hardship that affects your ability to maintain your current standard of living, or is it a moderate hardship that affects you somewhat but does not jeopardize your current standard of living?




Prepare Safe Workflows and Stock Sufficient PPE

- Ensure your practice has 30 days of PPE immediately available
- Consult usual suppliers and order PPE well in advance of anticipated need
 - > There may be PPE shortages in the future
- Continue using PPE according to CDC guidelines
- Ensure safe workflows for all patients, particularly vulnerable patients



Covid-19 Guidance for the Holidays

- Celebrate with the people in your own immediate household
- 2) Don't attend events or social gatherings if you're feeling ill or if you have had close contact with someone with Covid-19 in the last 14 days
- 3) Understand the Covid-19 precautions for the event or social gathering you are attending
- 4) Wear a face covering



Large (and small) social gatherings spread Covid-19



Covid-19 Guidance for the Holidays

- 5) Limit the number of people you come into contact with by avoiding large gatherings or multiple events with different groups of people
- 6) Check for local travel advisories and guidelines related to testing and quarantining
- 7) If hosting, clean frequently touched surfaces
- 8) Wash your hands
- 9) Eat/celebrate outside if possible
 - More information is available here



Governor Hogan's 11/12 Covid Announcement

- Announced \$70 million of investments to combat Covid
 - > \$20 million for funding for PPE to build state's strategic stockpile
 - > \$15 million for unemployment insurance measures
 - > \$10 million for renter relief
 - > \$10 million to accelerate mass vaccination planning
 - > \$10 million for additional support for area food banks
 - > \$2 million for supplemental resources for foster care
 - > \$2 million for SNAP and energy assistance administration
 - > \$1 million for a wastewater testing initiative




Masks and Distancing Remain Critical

Masking up

Fewer covid-19 symptoms reported in states with higher rates of mask use.

Percentage of people who know someone with covid-19 symptoms



Percentage of people wearing masks in public all or most of the time

Data as of Oct. 19

Sources: Washington Post, Nature

Source: Delphi CovidCast, Carnegie Mellon University

❖ IHME model:

- Universal mask use saves 129,574 lives before Feb 2021
- ➤ 85% mask use *saves*95,814 lives before
 Feb 2021



MD COVID Alert App

- New opt-in cell phone app that notifies users if they have been exposed to somebody who is Covid-19 positive
- Mimics CDC close contact definition (6-feet or less for >15 minutes) with bluetooth
- Individuals who receive exposure notifications:
 - Receive advice to get tested
 - Receive information about possible exposure date
 - COVID-19 positive users may receive a call from a contact tracer
- More information is available <u>here</u>





Covid-19 Vaccines/Immunization Information

Maryland Covid-19 Vaccination Plan

ImmuNet Information

- ImmuNet enrollment form
- ImmuNet helpdesk contact information
- Guidance for practices how about reporting to ImmuNet
- Technical specifications for the EHR interface with ImmuNet
- ImmuNet log-in information portal
- Summary of vaccines under development



Covid-19 Testing Information

- Maryland Department of Health testing announcements and accessibility information and resources
- CDC Covid-19 testing overview
- MDPCP Roadmap to Recovery Covid-19 testing guidelines
- Maryland Department of Health guidance regarding point of Care rapid antigen Covid testing
- *myLAB Box Covid-19 testing program for Maryland clinicians
- FDA letter to clinical laboratory staff and health care providers about the potential for false positive results with rapid antigen tests for Covid-19



Scheduling In-Office Appointments

- Patient calls in for an appointment
 - > Reception screens patient on the phone using the <u>pre-visit screening template</u>
 - > Schedule in-office visits for different groups: At-risk and vulnerable patients on certain days, healthier patients on other days
 - Schedule telehealth and non-office-based care for other patients including follow-ups and patients uncomfortable with office visits
- Check In
 - > Practice remote check in and limited front-desk contact
 - Consider using a triage zone outside of office or main area;
 - > Or use a barrier at the front desk
 - ➤ Design your office to accommodate patients who come in specifically for Covid testing and triage, separate from patients who arrive for non-Covid related and elective procedures
 - ✓ Ensure patients and staff do not cross between Covid and non-Covid areas
 - ✓ Set aside a specific area for patients who come in for testing to wait and be triaged

Scheduling In-Office Appointments

- Checking out
 - Practice remote check out, limit front desk exposure;
 - Or use a barrier at the front desk
- If patient is paying co-pays, etc., set up credit card reader outside of the barrier
- Other workflow resources
 - Care management workflows
 - BMJ telemedicine workflow graphics
 - CDC flowchart to identify and assess 2019 novel Coronavirus
 - CDC telephone evaluation flow chart for flu
 - CDC guidance for potential Covid-19 exposure associated with international or domestic travel



Personal Protective Equipment (PPE) Sources and Requests

- Practices should initially request PPE through their usual vendors
- Practices should make their PPE requests through their local health departments
- ❖ Maryland PPE Manufacturers List next slide
- **❖ National and international PPE supplier list**
- **PPE request forms and local contacts**



Personal Protective Equipment (PPE) Sources and Requests

- Increasing Maryland's supply of PPE one of the 4 building blocks on the Road to Recovery
- Maryland has launched the <u>Maryland Manufacturing</u> <u>Network Supplier Portal</u>, an online platform that helps connect Maryland suppliers with buyers in need of critical resources
- For additional business resources during Covid-19, visit <u>businessexpress.maryland.gov/coronavirus</u>
- Providers may also request PPE from the non-profit 'Get Us PPE'



Provider/Patient Mental Health Resources

Providers

- "Helping the Helpers and Those They Serve," a webinar series from the Maryland Department of Health Behavioral Health Administration and MedChi (on the 2nd and 4th Thursdays of every month starting 11/12/2020)
- > Heroes Health Initiative

Patients

- Ask Suicide-Screening Questions toolkit
- > CDC <u>list of resources</u> for coping with stress



Health Equity Resources

- Maryland Department of Health Office of Minority Health and Health Disparities (MHHD)
- Maryland Department of Health Minority Outreach and Technical Assistance Program <u>overview</u>
- MHHD fiscal year 2020 minority outreach and technical assistance program information
- Description of the term "health disparity"
- Implicit bias test
- "Hundreds of Days of Action as a Start to Address Hundreds of Years of Inequality" New England Journal of Medicine article by Maulik Joshi, DrPH
- "Discussion Draft of the Preliminary Framework for Equitable Allocation of COVID-19 Vaccine" – <u>discussion draft</u> for public comment by Committee on Equitable Allocation of Vaccine for the Novel Coronavirus, The National Academies of Science, Engineering, Medicine

DEPARTMENT OF HEALTH

Telehealth Resources

- Maryland Health Care Commission Telehealth
- Maryland Health Care Commission Telehealth Readiness Assessment Tool
- U.S. Department of Health and Human Services Health Insurance Portability and Accountability Act (HIPAA) for Professionals
- American Telehealth Association
- Maryland Telehealth Alliance
- National Consortium of Telehealth Resource Centers



Help Your Patients Get Health Coverage

Maryland Health Connection, the state's health insurance marketplace, has a Coronavirus Emergency Special Enrollment Period until December 15 for uninsured Marylanders. All plans on Maryland Health Connection cover testing and treatment of Covid-19.

♦How to enroll

- Enroll online at MarylandHealthConnection.gov
- ➤ Call 1-855-642-8572. Deaf and hard of hearing use Relay service. Help is available in 200 languages.
- > Download the free "Enroll MHC" mobile app to enroll on a phone/tablet.
- ➤ Navigators throughout the state can answer questions and enroll consumers by phone.



CDC Guidelines for Covid Patient Management

- Healthy people can be monitored, self-isolated at home
- People at higher risk should contact healthcare providers early, even if illness is mild
- ❖ Older adults and people with severe underlying chronic medical conditions are at higher risk, need closer contact
- Emergency Department and Hospitals only when needed not for screening or low risk/minimal disease
- Guidelines are important and powerful tools, but remember providers' clinical experience and judgment are key to care



Support for Patients at Home

- Food
 - > Meals on Wheels
- Caregivers
 - ➤ Visiting nurses and caregivers
- Emotional support
 - ➤ Support from family
 - ➤ Phone calls and videochat to fight loneliness
 - > MD Department of Aging Senior Call Check Program



Staying Current - Sources

- **♦** CDC
- **♦ MDH Covid-19 information page**
- **❖** MDPCP Covid-19 webpage
- Local Health Departments
- **CONNECT**
- Clinician Letters
- Multiple Resource Links in Appendix



MedChi/CareFirst/Backline Grant

CareFirst BlueCross BlueShield (CareFirst) and the Maryland State Medical Society (MedChi) launched a grant program that will equip additional Maryland physicians with the technology they need to provide needed virtual care during the Covid-19 pandemic and beyond

Eligibility Requirements

- The medical practice and medical license are in Maryland
- The medical practice is a private, independent group of five or fewer physicians
- The practice enrolls in Backline after March 1, 2020 as the result of the Covid-19 crisis
- MedChi has confirmed the practice's enrollment with DrFirst
- Enrollment in Backline occurs before December 31, 2020

Application Steps

Can be completed in less than 5 minutes

- Complete the application linked <u>here</u>
- Email completed application to <u>amullin@medchi.org</u>
- For questions, email or call Andrea Mullin at amullin@medchi.org or 800-492-1056 x3340



Food Resources

Nutrition: Inform patients that children can receive three free meals/day at sites listed on:

➤ Maryland Summer Meals Howard County

➤ Montgomery County Anne Arundel County

▶ Prince Georges County
St. Mary's County

➤ Charles County Harford County

Frederick County Calvert County

- Free meals available from 42 rec centers in Baltimore
 - ➤ Call 311 for locations and to schedule pickup time



Resources for Specific Groups

- Community- and Faith-Based Organizations (https://www.cdc.gov/coronavirus/2019-ncov/community/guidance-community-faith-organizations.html)
- Mass Gatherings and Large Community Events (https://www.cdc.gov/coronavirus/2019-ncov/community/mass-gatherings-ready-for-covid-19.html)
- Non-Pharmaceutical Interventions for Specific Groups (https://www.cdc.gov/nonpharmaceutical-interventions/index.html)



Resources and References

- Maryland Department of Health Coronavirus Website (https://coronavirus.maryland.gov)
- CDC Coronavirus Website (https://www.cdc.gov/coronavirus/2019-nCoV/index.html)
- CDC National data on Covid-19 infection and mortality (https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/cases-in-us.html)
- CDC Interim Guidance for Homes and Communities (https://www.cdc.gov/coronavirus/2019-ncov/hcp/guidance-prevent-spread.html)
- CDC Interim Guidance for Businesses (https://www.cdc.gov/coronavirus/2019-ncov/specific-groups/guidance-business-response.html)
- CDC Interim Guidance for Childcare and Schools (https://www.cdc.gov/coronavirus/2019-ncov/specific-groups/guidance-for-schools.html)
- CDC Travel Website (https://wwwnc.cdc.gov/travel/)

